

## Refine Search

### Search Results -

| Term                 | Documents |
|----------------------|-----------|
| SCH                  | 3505      |
| SCHES                | 0         |
| (53 AND SCH).USPT.   | 0         |
| (L53 AND SCH ).USPT. | 0         |

Database:

US Pre-Grant Publication Full-Text Database  
 US Patents Full-Text Database  
 US OCR Full-Text Database  
 EPO Abstracts Database  
 JPO Abstracts Database  
 Derwent World Patents Index  
 IBM Technical Disclosure Bulletins

Search:

L54

Refine Search

Recall Text

Clear

Interrupt

### Search History

 DATE: Tuesday, May 04, 2004    [Printable Copy](#)    [Create Case](#)
**Set Name Query**

side by side

**Hit Count Set Name**

result set

*DB=USPT; PLUR=YES; OP=ADJ*

|            |                                    |     |            |
|------------|------------------------------------|-----|------------|
| <u>L54</u> | L53 and SCH                        | 0   | <u>L54</u> |
| <u>L53</u> | L51 and power                      | 10  | <u>L53</u> |
| <u>L52</u> | L51 and FCH                        | 0   | <u>L52</u> |
| <u>L51</u> | L14 and power adj control adj loop | 10  | <u>L51</u> |
| <u>L50</u> | L14 and power adj control          | 107 | <u>L50</u> |
| <u>L49</u> | L48 and power adj control adj loop | 0   | <u>L49</u> |
| <u>L48</u> | L14 and FCH                        | 4   | <u>L48</u> |
| <u>L47</u> | L44 and power adj level            | 4   | <u>L47</u> |
| <u>L46</u> | L44 and transfer adj rate          | 0   | <u>L46</u> |
| <u>L45</u> | L44 and SCH                        | 2   | <u>L45</u> |
| <u>L44</u> | L43 and FCH                        | 4   | <u>L44</u> |

|            |  |     |            |
|------------|--|-----|------------|
| <u>L43</u> | power adj control adj loop and error adj rate    | 115 | <u>L43</u> |
| <u>L42</u> | L38 and FCH                                      | 0   | <u>L42</u> |
| <u>L41</u> | L38 and SCH                                      | 0   | <u>L41</u> |
| <u>L40</u> | L38 and correction adj factor                    | 0   | <u>L40</u> |
| <u>L39</u> | L38 and fundamental                              | 2   | <u>L39</u> |
| <u>L38</u> | transfer adj rate and BSC and BTS                | 60  | <u>L38</u> |
| <u>L37</u> | L36 and transfer adj rate                        | 0   | <u>L37</u> |
| <u>L36</u> | L35 and power adj level                          | 6   | <u>L36</u> |
| <u>L35</u> | BSC and BTS and FCH                              | 19  | <u>L35</u> |
| <u>L34</u> | L26 and BTS and BSC                              | 0   | <u>L34</u> |
| <u>L33</u> | L31 and SNR                                      | 1   | <u>L33</u> |
| <u>L32</u> | L30 and SNR                                      | 1   | <u>L32</u> |
| <u>L31</u> | L30 and interference                             | 4   | <u>L31</u> |
| <u>L30</u> | L26 and power                                    | 7   | <u>L30</u> |
| <u>L29</u> | L28 and error adj rates                          | 0   | <u>L29</u> |
| <u>L28</u> | L26 and power and signal-to-noise                | 1   | <u>L28</u> |
| <u>L27</u> | L26 and wireless adj interface                   | 0   | <u>L27</u> |
| <u>L26</u> | variable adj rate adj data adj transfer          | 10  | <u>L26</u> |
| <u>L25</u> | power adj control adj loop and transfer adj rate | 2   | <u>L25</u> |
| <u>L24</u> | L19 and transfer adj rate                        | 3   | <u>L24</u> |
| <u>L23</u> | L20 and transfer adj rate                        | 0   | <u>L23</u> |
| <u>L22</u> | L21 and transfer adj rate                        | 0   | <u>L22</u> |
| <u>L21</u> | L20 and 370/332.ccls.                            | 0   | <u>L21</u> |
| <u>L20</u> | L19 and data adj burst                           | 7   | <u>L20</u> |
| <u>L19</u> | power adj management and CDMA                    | 135 | <u>L19</u> |
| <u>L18</u> | L17 and power adj level                          | 88  | <u>L18</u> |
| <u>L17</u> | acceptable adj signal adj strength               | 154 | <u>L17</u> |
| <u>L16</u> | L15 and transfer adj rate                        | 1   | <u>L16</u> |
| <u>L15</u> | L14 and power adj level                          | 105 | <u>L15</u> |
| <u>L14</u> | 370/332.ccls.                                    | 333 | <u>L14</u> |
| <u>L13</u> | L9 and supplemental                              | 0   | <u>L13</u> |
| <u>L12</u> | L9 and fundamental                               | 1   | <u>L12</u> |
| <u>L11</u> | L9 and fundamental and supplemental              | 0   | <u>L11</u> |
| <u>L10</u> | L9 and FCH and SCH                               | 0   | <u>L10</u> |
| <u>L9</u>  | L8 and wireless                                  | 3   | <u>L9</u>  |
| <u>L8</u>  | L7 and transfer adj rate                         | 5   | <u>L8</u>  |
| <u>L7</u>  | determine adj power adj level                    | 415 | <u>L7</u>  |
| <u>L6</u>  | L4 and base adj staton                           | 0   | <u>L6</u>  |
| <u>L5</u>  | L4 and wireless                                  | 1   | <u>L5</u>  |
| <u>L4</u>  | L1 and frame adj error adj rate                  | 2   | <u>L4</u>  |
| <u>L3</u>  | L1 and error adj rate                            | 102 | <u>L3</u>  |

|           |  |     |           |
|-----------|--|-----|-----------|
| <u>L2</u> | L1 and base adj power adj level                | 1   | <u>L2</u> |
| <u>L1</u> | data adj transfer adj rate and power adj level | 317 | <u>L1</u> |

END OF SEARCH HISTORY